

# SAFETY DATA SHEET

Issuing Date 23-Nov-2015

Revision Date 23-Nov-2015

Revision Number 5



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### Product identifier

**Product Name** 2735 McKay Furniture

**Polish**

**Recommended Use** Wood Cleaner - Aerosol

### Details of the supplier of the safety data sheet

**Supplier Name** Airosol Company, Inc.

**Supplier Address** P.O. Box 120  
1206 Illinois St.  
Neodesha  
KS  
66757  
US

### Emergency telephone number

**INFOTRAC** 1-800-535-5053 (North America)

1-352-323-3500 (International)

**Company Phone Number** 620-325-2666

## 2. HAZARDS IDENTIFICATION

### Classification


This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

|                        |             |
|------------------------|-------------|
| Germ cell mutagenicity | Category 1B |
| Carcinogenicity        | Category 1A |
| Aspiration toxicity    | Category 1  |



|                      |                |
|----------------------|----------------|
| Flammable Aerosols   | Category 1     |
| Gases under pressure | Compressed gas |

**GHS Label elements, including precautionary statements****Emergency Overview**

|   |   |             |
|---|---|-------------|
| <b>Signal word</b>  | <b>Danger</b>   |             |
| <b>Hazard Statements</b>  | <p>May cause genetic defects<br/>         May cause cancer<br/>         May be fatal if swallowed and enters airways<br/>         Extremely flammable aerosol<br/>         Contains gas under pressure; may explode if heated</p> |             |
|  |   |             |
| <b>Appearance</b>   | <b>Physical state</b>   | <b>Odor</b> |
| White   | Liquid spray Aerosol  | Lemon       |

**Precautionary Statements - Prevention**

Obtain special instructions before use  
 Do not handle until all safety precautions have been read and understood  
 Use personal protective equipment as required  
 Keep away from heat/sparks/open flames/hot surfaces. - No smoking  
 Pressurized container: Do not pierce or burn, even after use  
 Do not spray on an open flame or other ignition source

**Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

**Ingestion**

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician  
 Do NOT induce vomiting

**Precautionary Statements - Storage**

Store locked up  
 Protect from sunlight. Store in a well-ventilated place  
 Do not expose to temperatures exceeding 122°F (50°C)

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

Not applicable

**Unknown Toxicity**

1.089 % of the mixture consists of ingredient(s) of unknown toxicity

**Other information**

PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION

**Interactions with Other Chemicals**

No information available.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical name                           | CAS No     | Weight-% | Trade Secret |
|---|------------|----------|--------------|
| Naphtha (petroleum), hydrotreated heavy | 64742-48-9 | 10 - 30  | *            |
| Propane                                 | 74-98-6    | 3 - 7    | *            |
| Butane                                  | 106-97-8   | 3 - 7    | *            |
| Naphtha (petroleum), light alkylate     | 64741-66-8 | 1 - 5    | *            |

\*The exact percentage (concentration) of composition has been withheld as a trade secret

### 4. FIRST AID MEASURES

**First aid measures****General Advice**

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

**Eye contact**

Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician.

**Skin contact**

In case of contact with liquefied gas, thaw frosted parts with lukewarm water.

**Inhalation**

Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Seek immediate medical attention/advice. Delayed pulmonary edema may occur.

**Ingestion**

Aspiration hazard if swallowed - can enter lungs and cause damage. Do NOT induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.

**Self-protection of the first aider**

Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. Wear personal protective clothing (see section 8).

**Most important symptoms and effects, both acute and delayed****Most Important Symptoms and Effects**

Difficulty in breathing. Coughing and/ or wheezing. Dizziness.

**Indication of any immediate medical attention and special treatment needed****Notes to Physician**

Treat symptomatically.



## 5. FIRE-FIGHTING MEASURES

### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Dry chemical. Carbon dioxide (CO<sub>2</sub>). Water spray. Alcohol resistant foam.

### **Unsuitable extinguishing media**

DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS LEAK CAN BE STOPPED.

### **Specific hazards arising from the chemical**

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Cylinders may rupture under extreme heat. Containers may explode when heated. Ruptured cylinders may rocket.

**Uniform Fire Code**                      Aerosols: Level III

### **Explosion Data**

**Sensitivity to Mechanical Impact**      Yes.

**Sensitivity to Static Discharge**        Yes.

### **Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

### **Personal precautions, protective equipment and emergency procedures**

#### **Personal precautions**

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. See section 8 for more information. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Take precautionary measures against static discharges. Contents under pressure. Do not puncture or incinerate cans.

#### **Other Information**

Refer to protective measures listed in Sections 7 and 8. Ventilate the area.

### **Environmental precautions**

#### **Environmental precautions**

Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

### **Methods and material for containment and cleaning up**

#### **Methods for containment**

Prevent further leakage or spillage if safe to do so. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways.

#### **Methods for cleaning up**

Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.



## 7. HANDLING AND STORAGE

### Precautions for safe handling

#### Handling

Handle in accordance with good industrial hygiene and safety practice. Do not puncture or incinerate cans. Contents under pressure. Avoid breathing vapors or mists. Keep away from open flames, hot surfaces and sources of ignition. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Use personal protection equipment. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use spark-proof tools and explosion-proof equipment. Use only with adequate ventilation and in closed systems. Keep in an area equipped with sprinklers. In case of rupture. Avoid contact with skin and eyes.

### Conditions for safe storage, including any incompatibilities

#### Storage

Store locked up. Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Keep out of the reach of children. Store away from other materials. Protect from sunlight. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations.

#### Incompatible Products

None known based on information supplied.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### Exposure Guidelines

| Chemical name      | ACGIH TLV      | OSHA PEL  | NIOSH IDLH   |
|--------------------|----------------|---|--|
| Propane<br>74-98-6 | TWA: 1000 ppm  | TWA: 1000 ppm<br>TWA: 1800 mg/m <sup>3</sup>                    | IDLH: 2100 ppm<br>TWA: 1000 ppm<br>TWA: 1800 mg/m <sup>3</sup> |
| Butane<br>106-97-8 | STEL: 1000 ppm | (vacated) TWA: 800 ppm<br>(vacated) TWA: 1900 mg/m <sup>3</sup> | TWA: 800 ppm<br>TWA: 1900 mg/m <sup>3</sup>                    |

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

#### Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992) See section 15 for national exposure control parameters

### Appropriate engineering controls

#### Engineering Measures

Showers  
Eyewash stations  
Ventilation systems

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Tight sealing safety goggles.



|                                 |  |
|---------------------------------|--|
| <b>Skin and body protection</b> | Wear protective gloves and protective clothing. Long sleeved clothing. Chemical resistant apron. Impervious gloves. Antistatic boots.  |
| <b>Respiratory protection</b>   | If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.                      |
| <b>Hygiene Measures</b>         | Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. |

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Physical and Chemical Properties

|                       |                          |                       |                          |
|-----------------------|--------------------------|-----------------------|--------------------------|
| <b>Physical state</b> | Liquid spray, Aerosol    | <b>Odor</b>           | Lemon                    |
| <b>Appearance</b>     | White                    | <b>Odor Threshold</b> | No information available |
| <b>Color</b>          | No information available |                       |                          |

| <u>Property</u>                        | <u>Values</u>        | <u>Remarks</u> | <u>Method</u> |
|--|----------------------|----------------|---------------|
| pH                                     | 8                    | None known     |               |
| Melting / freezing point               | No data available    | None known     |               |
| Boiling point / boiling range          | No data available    | None known     |               |
| Flash Point                            | No data available    | None known     |               |
| Evaporation Rate                       | No data available    | None known     |               |
| Flammability (solid, gas)              | No data available    | None known     |               |
| Flammability Limit in Air              |                      |                |               |
| Upper flammability limit               | No data available    |                |               |
| Lower flammability limit               | No data available    |                |               |
| Vapor pressure                         | No data available    | None known     |               |
| Vapor density                          | No data available    | None known     |               |
| Specific Gravity                       | .9359                | None known     |               |
| Water Solubility                       | Soluble in hot water | None known     |               |
| Solubility in other solvents           | No data available    | None known     |               |
| Partition coefficient: n-octanol/water | No data available    | None known     |               |
| Autoignition temperature               | No data available    | None known     |               |
| Decomposition temperature              | No data available    | None known     |               |
| Kinematic viscosity                    | No data available    | None known     |               |
| Dynamic viscosity                      | No data available    | None known     |               |
| Explosive properties                   | No data available    |                |               |
| Oxidizing properties                   | No data available    |                |               |

### Other Information

|                                   |                   |
|-----------------------------------|-------------------|
| <b>Softening Point</b>            | No data available |
| <b>VOC Content (%)</b>            | No data available |
| <b>Particle Size</b>              | No data available |
| <b>Particle Size Distribution</b> |                   |

## 10. STABILITY AND REACTIVITY

### Reactivity

No data available.

### Chemical stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

### Conditions to avoid

Heat, flames and sparks. Excessive heat.

### Incompatible materials

None known based on information supplied.

### Hazardous Decomposition Products

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

|                     |   |
|---------------------|---|
| <b>Inhalation</b>   | Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract.   |
| <b>Eye contact</b>  | Specific test data for the substance or mixture is not available. May cause irritation.   |
| <b>Skin contact</b> | Specific test data for the substance or mixture is not available. Repeated exposure may cause skin dryness or cracking.   |
| <b>Ingestion</b>    | Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways. (based on components). |

#### Component Information

| Chemical name   | Oral LD50            | Dermal LD50             | Inhalation LC50                    |
|---|----------------------|-------------------------|------------------------------------|
| Naphtha (petroleum), hydrotreated heavy<br>64742-48-9 | > 5000 mg/kg ( Rat ) | > 3160 mg/kg ( Rabbit ) | -                                  |
| Propane<br>74-98-6                                    | -                    | -                       | = 658 mg/L ( Rat ) 4 h             |
| Butane<br>106-97-8                                    | -                    | -                       | = 658 g/m <sup>3</sup> ( Rat ) 4 h |
| Naphtha (petroleum), light alkylate<br>64741-66-8     | > 7000 mg/kg ( Rat ) | > 2000 mg/kg ( Rabbit ) | > 5.04 mg/L ( Rat ) 4 h            |

### Information on toxicological effects

**Symptoms** Difficulty in breathing. Coughing and/ or wheezing. Asthma-like and/ or skin allergy-like symptoms.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** No information available.



|                                 |  |
|---------------------------------|--|
| <b>Mutagenic Effects</b>        | Contains a known or suspected mutagen.   |
| <b>Carcinogenicity</b>          | Contains a known or suspected carcinogen.  |
| <b>Reproductive toxicity</b>    | No information available.  |
| <b>STOT - single exposure</b>   | No information available.  |
| <b>STOT - repeated exposure</b> | No information available.  |
| <b>Chronic Toxicity</b>         | Possible risk of irreversible effects.   |
| <b>Target Organ Effects</b>     | May affect the genetic material in germ cells (sperm and eggs). Respiratory system. Eyes. Skin. Gastrointestinal tract (GI). |
| <b>Aspiration Hazard</b>        | No information available.  |

#### **Numerical measures of toxicity Product Information**

The following values are calculated based on chapter 3.1 of the GHS document

Not applicable

**ATEmix (inhalation-gas)**

3,148,048.14

## **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

The environmental impact of this product has not been fully investigated.

| Chemical name   | Toxicity to Algae   | Toxicity to Fish                               | Toxicity to Microorganisms | Daphnia Magna (Water Flea) |
|---|---|--|----------------------------|----------------------------|
| Naphtha (petroleum), hydrotreated heavy<br>64742-48-9 |   | 96h LC50: = 2200 mg/L<br>(Pimephales promelas) |                            | 96h LC50: = 2.6 mg/L       |
| Naphtha (petroleum), light alkylate<br>64741-66-8     | 72h EC50: = 30000 mg/L<br>(Pseudokirchneriella subcapitata) |  |                            | 48h LC50: = 2 mg/L         |

#### **Persistence and Degradability**

No information available.

#### **Bioaccumulation**

| Chemical name      | Log Pow |
|--------------------|---------|
| Propane<br>74-98-6 | 2.3     |
| Butane<br>106-97-8 | 2.89    |

#### **Other adverse effects**

No information available.



### 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

|                               |  |
|-------------------------------|--|
| <b>Disposal methods</b>       | This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261). Should not be released into the environment. Dispose of contents/containers in accordance with local regulations. Dispose of waste in accordance with environmental legislation. |
| <b>Contaminated Packaging</b> | Dispose of contents/containers in accordance with local regulations.   |
| <b>US EPA Waste Number</b>    | D001   |

### 14. TRANSPORT INFORMATION

#### DOT

|                             |                           |
|-----------------------------|---------------------------|
| <b>Proper Shipping Name</b> | CONSUMER COMMODITY        |
| <b>Hazard Class</b>         | ORM-D                     |
| <b>Description</b>          | CONSUMER COMMODITY, ORM-D |

#### TDG

|                             |                       |
|-----------------------------|-----------------------|
| <b>UN-No.</b>               | UN1950                |
| <b>Proper Shipping Name</b> | AEROSOLS              |
| <b>Hazard Class</b>         | 2.1                   |
| <b>Description</b>          | UN1950, AEROSOLS, 2.1 |

#### MEX

|                             |                       |
|-----------------------------|-----------------------|
| <b>UN-No.</b>               | UN1950                |
| <b>Proper Shipping Name</b> | AEROSOLS              |
| <b>Hazard Class</b>         | 2.1                   |
| <b>Description</b>          | UN1950, AEROSOLS, 2.1 |

#### ICAO

|                             |                       |
|-----------------------------|-----------------------|
| <b>UN-No.</b>               | UN1950                |
| <b>Proper Shipping Name</b> | AEROSOLS              |
| <b>Hazard Class</b>         | 2.1                   |
| <b>Description</b>          | UN1950, AEROSOLS, 2.1 |

#### IATA

|                             |                                  |
|-----------------------------|----------------------------------|
| <b>UN-No.</b>               | UN1950                           |
| <b>Proper Shipping Name</b> | AEROSOLS, FLAMMABLE              |
| <b>Hazard Class</b>         | 2.1                              |
| <b>ERG Code</b>             | 10L                              |
| <b>Description</b>          | UN1950, AEROSOLS, FLAMMABLE, 2.1 |

#### IMDG/IMO

|                             |                       |
|-----------------------------|-----------------------|
| <b>UN-No.</b>               | UN1950                |
| <b>Proper Shipping Name</b> | AEROSOLS              |
| <b>Hazard Class</b>         | 2.1                   |
| <b>EmS-No.</b>              | F-D, S-U              |
| <b>Description</b>          | UN1950, AEROSOLS, 2.1 |

#### RID

|               |        |
|---------------|--------|
| <b>UN-No.</b> | UN1950 |
|---------------|--------|



|                             |  |
|-----------------------------|--|
| <b>Proper Shipping Name</b> | AEROSOLS   |
| <b>Hazard Class</b>         | 2.1  |
| <b>Classification code</b>  | 5F   |
| <b>Description</b>          | UN1950, AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS |

**ADR**

|                                |  |
|--------------------------------|--|
| <b>UN-No.</b>                  | UN1950   |
| <b>Proper Shipping Name</b>    | AEROSOLS   |
| <b>Hazard Class</b>            | 2.1  |
| <b>Classification code</b>     | 5F   |
| <b>Tunnel restriction code</b> | D  |
| <b>Description</b>             | UN1950, AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS |

**ADN**

|                             |  |
|-----------------------------|--|
| <b>UN-No.</b>               | UN1950   |
| <b>Proper Shipping Name</b> | AEROSOLS   |
| <b>Hazard Class</b>         | 2.1  |
| <b>Classification code</b>  | 5F   |
| <b>Special Provisions</b>   | 190, 327, 344, 625                               |
| <b>Description</b>          | UN1950, AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS |
| <b>Hazard Labels</b>        | 2.1  |
| <b>Limited Quantity</b>     | 1 L  |
| <b>Ventilation</b>          | VE01, VE04                                       |

|                                   |
|-----------------------------------|
| <b>15. REGULATORY INFORMATION</b> |
|-----------------------------------|

**International Inventories**

|       |  |
|-------|--|
| TSCA  | Complies   |
| DSL   | All components are listed either on the DSL or NDSL. |
| IECSC | -  |

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory  
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**US Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

**SARA 311/312 Hazard Categories**

|  |     |
|--|-----|
| <b>Acute Health Hazard</b>               | Yes |
| <b>Chronic Health Hazard</b>             | Yes |
| <b>Fire Hazard</b>                       | Yes |
| <b>Sudden release of pressure hazard</b> | Yes |
| <b>Reactive Hazard</b>                   | No  |

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

**US State Regulations**

**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

| Chemical name      | New Jersey | Massachusetts | Pennsylvania | Rhode Island | Illinois |
|--------------------|------------|---------------|--------------|--------------|----------|
| Propane<br>74-98-6 | X          | X             | X            |              |          |
| Butane<br>106-97-8 | X          | X             | X            |              |          |

**International Regulations****Mexico****National occupational exposure limits**

| Component                    | Carcinogen Status | Exposure Limits   |
|------------------------------|-------------------|---|
| Butane<br>106-97-8 ( 3 - 7 ) |                   | Mexico: TWA 800 ppm<br>Mexico: TWA 1900 mg/m <sup>3</sup> |

*Mexico - Occupational Exposure Limits - Carcinogens*

**Canada****WHMIS Hazard Class**

Not determined

|                              |
|------------------------------|
| <b>16. OTHER INFORMATION</b> |
|------------------------------|

|             |                           |                       |                          |   |
|-------------|---------------------------|-----------------------|--------------------------|---|
| <b>NFPA</b> | <b>Health Hazards</b> 2   | <b>Flammability</b> 4 | <b>Instability</b> 0     | <b>Physical and<br/>Chemical Hazards -<br/>Personal Protection</b><br>X |
| <b>HMIS</b> | <b>Health Hazards</b> 2 * | <b>Flammability</b> 4 | <b>Physical Hazard</b> 0 |   |

**Chronic Hazard Star Legend** \* = Chronic Health Hazard

**Prepared By** Product Stewardship  
23 British American Blvd.  
Latham, NY 12110  
1-800-572-6501

**Issuing Date** 23-Nov-2015  
**Revision Date** 23-Nov-2015  
**Revision Note** No information available

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**